

MATERIAL SAFETY DATA SHEET

Decra Kote 4000

Page: 1

Product Name: Decra Kote 4000
Product Code: 8000.

HMIS Codes: H F R P
1 0 0 B

SECTION I – MANUFACTURER IDENTIFICATION

Manufacture’s Name: Superior Industries, Inc.
Address: P. O. Box 8
Chattanooga, TN 37421

Emergency Phone: (800) 476-2072 Date Printed: 06/15/2008
Information Phone: (423) 899-0467 Name of Preparer: Technical Department

SECTION II – HAZARDOUS INGREDIENTS/SARA III INFORMATION

Reportable Components	Case Number	Vapor Pressure mm HG @ Temp	Weight Percent
Ethylene Glycol Mono Propyl Ether	2807-30-9	1.30 77°F	1.1

*** No Toxic Chemical(s) subject to reporting requirements of section 313 of Title III and of 40 CFR 372 are present ***
N/A

SECTION III – PHYSICAL /CHEMICAL CHARACTERISTICS

Boiling Range: 301°F - 308°F Specific Gravity (H2O=1): 1.17
Vapor Density: Heavier Than Air Evaporation Rate: Slower than Ether
Coating V.O.C.: 1.02 lb/gal 122 g/l
Solubility in Water: Dilutes and Thins in Water in all Proportions
Appearance and Odor: Liquid with Slight Odor.

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A Method Used: N/A
Flammable Limits in air by Volume – Lower: N/A Upper: N/A

Extinguishing Media: Foam, Alcohol Foam, CO2, Dry Chemical, Water Fog, Other

Special Firefighting Procedures

Use self contained breathing apparatus. The Latex will not burn until water has evaporated. For residual solids, use water spray, Carbon Dioxide, Dry Chemical, or All Purpose-Type Foams.

Unusual Fire and Explosion Hazards

NONE

SECTION V – REACTIVITY DATA

Stability: Stable
Conditions to Avoid: None

Incompatibility (Materials to Avoid): Substance which react with water.

Hazardous Decomposition or Byproducts

Thermal decomposition could produce carbon monoxide and dioxide

Hazardous Polymerization: Will Not Occur, None.

SECTION VI – HEALTH HAZARD DATA

Inhalation Health Risks and Symptoms of Exposure

High Concentration of vapor or spray mist in confined areas may exclude Oxygen from the atmosphere and cause signs of Asphixia.

Skin and Eye Contact Health Risks and Symptoms of Exposure

Eye Contact-may cause irritation and conjunctivitis. Skin – May cause Irritation

Skin absorption health risks and symptoms of exposure may cause nausea and vomiting, very low order of toxicity.

Ingestion Health Risks and Symptoms of Exposure

Prolonged contact in the wet state may cause water adsorption into the skin

Health Hazards (Acute and Chronic)

Eyes – Slightly irritating no evidence of adverse effects from available information. Skin – May irritate no evidence of adverse effects from available information. Inhalation – May irritate no evidence of adverse effects from available information. Ingestion – No evidence of adverse effects from available information.

Carcinogenicity: NTP Carcinogen: NO IARC Monographs: NO OSHA Regulated: No

There is no evidence of Carcinogenicity from available information.

Medical Conditions generally aggravated by exposure

No evidence of adverse effects from available information.

EMERGENCY AND FIRST AID PROCEDURES

EYES-FLUSH WITH LARGE AMOUNTS OF WATER AT LEAST 5-10 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN-WASH SOAP AND WATER; REMOVE SOILED CLOTHES AND LAUNDRER BEFORE REUSE. INGESTION-GIVE TWO GLASSES OF WATER; INDUCE VOMITING IMMEDIATELY BY STICKING FINGER DOWN THROAT. CALL A PHYSICIAN.

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled

Major spills-walk areas and floors will be slippery: Take precautions. Collect material with absorbent such as sand and dry for proper disposal. Minor Spills – Absorb with rags or other absorbent, clean-up with water.

Waste Disposal Method

Disposed of in according to local, state, and federal regulations.

Precautions to be taken in handling and storing

Avoid breathing vapors. Keep container closed. Use with adequate ventilation.

Other Precautions

Keep out of reach of children!

SECTION VIII – CONTROL MEASURES

Respiratory Protection:

Use OSHA Approved breathing apparatus or organic vapor respirator.

Ventilation:

General (Mechanical) Room Ventilation is expected to be satisfactory

Protective Gloves:

Chemical resistant gloves recommended

MATERIAL SAFETY DATA SHEET

Decra Kote 4000

Page: 3

Eye Protection:
Safety Glasses

Other protective clothing or equipment:
None required.

Work/Hygienic Practices:
Wash hands before eating, smoking, or using the washroom.

SECTION IX – DISCLAIMER

The Information contained herein was gathered from reliable sources and is believed to be accurate. However, no warranty is implied regarding the accuracy of these data or the results to be obtained from their use thereof.