

MATERIAL SAFETY DATA SHEET

SKID GUARD 100

Page: 1

Product Name: SKID GUARD 100
Product Code: 1925.

HMIS Codes: H F R P
1 0 0 B

SECTION I – MANUFACTURER IDENTIFICATION

Manufacture’s Name: Superior Industries, Inc.
Address: P. O. Box 8
Chattanooga, TN 37421

Emergency Phone: (800) 476-2072 Date Printed: 06/15/2008
Information Phone: (423) 899-0467 Name of Preparer: Technical Department

SECTION II – HAZARDOUS INGREDIENTS/SARA III INFORMATION

Reportable Components	Case Number	Vapor Pressure mm HG @ Temp		Weight Percent
Propylene Glycol	57-55-6	.22	68°F	0.7
2 ((Hydroxymethyl) Amino-2-Methyl Propanol	52299-20-4	22.9	68°F	0.12
3-Iodo-2-Propynyl Butyl Carbamate	55406-53-6	0	0	0.1
Aliphatic Hydrocarbon Solvent (Naphtha).	64742-89-8	10.2	68°F	0.1

OSHA PEL: 500 PPM, ACGIH TLV: 350 MG/CUM

*** No Toxic Chemical(s) subject to reporting requirements of section 313 of Title III and of 40 CFR 372 are present ***
N/A

SECTION III – PHYSICAL /CHEMICAL CHARACTERISTICS

Boiling Range: 214°F - 369°F Specific Gravity (H2O=1): 1.64
Vapor Density: Heavier Than Air Evaporation Rate: Slower than Ether
Coating V.O.C.: 0.45 lb/gal 53 g/l
Solubility in Water: Dilutes and Thins in Water in all Proportions
Appearance and Odor: Thick Liquid with Slight Odor.

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A Method Used: N/A
Flammable Limits in air by Volume – Lower: 0.9% Upper 12.5%

Extinguishing Media: Foam, Alcohol Foam, CO2, Dry Chemical, Water Fog, Other

Special Firefighting Procedures

The Latex will not burn until water has evaporated. For residual solids, use water spray, Carbon Dioxide, Dry Chemical, or All Purpose-Type Foams.

Unusual Fire and Explosion Hazards

NONE

SECTION V – REACTIVITY DATA

Stability: Stable

Conditions to Avoid: None

Incompatibility (Materials to Avoid): Strong Oxidizing Agents

Hazardous Decomposition or Byproducts

When in the dry foam products of combustion are Carbon Monoxide and Carbon Dioxide

Hazardous Polymerization: Will Not Occur, None.

SECTION VI – HEALTH HAZARD DATA

Inhalation Health Risks and Symptoms of Exposure

High Concentration of vapor or spray mist in confined areas may exclude Oxygen from the atmosphere and cause signs of Asphyxia.

Skin absorption health risks and symptoms of exposure:

Prolonged contact in wet state may cause water adsorption into the skin.

Skin and Eye Contact Health Risks and Symptoms of Exposure

Eye Contact-may cause irritation and conjunctivitis. Skin – May cause Irritation

Ingestion Health Risks and Symptoms of Exposure

Prolonged contact in the wet state may cause nausea

Health Hazards (Acute and Chronic)

Eyes – No evidence of adverse effects from available information. Skin – No evidence of adverse effects from available information. Inhalation – No evidence of adverse effects from available information. Ingestion – No evidence of adverse effects from available information.

Carcinogenicity: NTP Carcinogen: NO IARC Monographs: NO

OSHA Regulated: Yes

There is no evidence of Carcinogenicity from available information.

Medical Conditions generally aggravated by exposure

No evidence of adverse effects from available information.

EMERGENCY AND FIRST AID PROCEDURES

EYES-FLUSH WITH LARGE AMOUNTS OF WATER AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN-WASH SOAP AND WATER; REMOVE SOILED CLOTHES AND LAUNDRY BEFORE REUSE. INGESTION-GIVE TWO GLASSES OF WATER; INDUCE VOMITING IMMEDIATELY BY STICKING FINGER DOWN THROAT. CALL A PHYSICIAN.

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled

Major spills-walk areas and floors will be slippery: Take precautions. Collect material with absorbent such as sand and dry for proper disposal. Minor Spills – Absorb with rags or other absorbent, clean-up with water.

Waste Disposal Method

Liquid Material is considered a Hazardous Material and must be disposed of with an authorized disposal company. Dry material is not considered Hazardous and may be disposed according to local, state, and federal regulations.

Precautions to be taken in handling and storing

Avoid breathing vapors. Keep container closed. Use with adequate ventilation.

Other Precautions

Keep out of reach of children!

SECTION VIII – CONTROL MEASURES

Respiratory Protection:

None Required. An Ordinary dust (mist) respirator is recommended if the product is to be sprayed.

Ventilation:

General (Mechanical) Room Ventilation is expected to be satisfactory

**Protective Gloves:
Recommended**

**Eye Protection:
Safety Glasses**

**Other protective clothing or equipment:
None required.**

**Work/Hygienic Practices:
Wash hands before eating, smoking, or using the washroom.**

SECTION IX – DISCLAIMER

The Information contained herein was gathered from reliable sources and is believed to be accurate. However, no warranty is implied regarding the accuracy of these data or the results to be obtained from their use thereof.