

MATERIAL SAFETY DATA SHEET

Fiber Crete Repair SHA

HMIS

HEALTH	*2
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	C

1. Product And Company Identification

Supplier

Superior Industries, Inc.
6180 Airways Blvd.
Chattanooga, TN 37421

Company Contact: EHS Department
Telephone Number: 423-899-0467
FAX Number: 423-899-0421
Web Site: www.superior-industries.com

Manufacturer

Superior Industries, Inc.
6180 Airways Blvd.
Chattanooga, TN 37421

Company Contact: EHS Department
Telephone Number: 423-899-0467
FAX Number: 423-899-0421
Web Site: www.superior-industries.com

Supplier Emergency Contacts & Phone Number

SUPERIOR: 800-476-2072
INTERNATIONAL: 423-899-0467

Manufacturer Emergency Contacts & Phone Number

SUPERIOR: 800-476-2072
INTERNATIONAL: 423-899-0467

Issue Date: 06/20/2009

Product Name: Fiber Crete Repair SHA
CAS Number: Not Established
Chemical Family: Cementitious Mortar
MSDS Number: 3149
Product Code: 0546-540

2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
CEMENT, PORTLAND	65997-15-1	
SILICA, AMORPHOUS	7631-86-9	
SILICA, QUARTZ	14808-60-7	

3. Hazards Identification

Eye Hazards

Causes eye irritation.

Skin Hazards

May cause skin irritation. Wet cement can dry the skin and cause alkali burns.

Ingestion Hazards

May be harmful if swallowed.

MATERIAL SAFETY DATA SHEET

Fiber Crete Repair SHA

3. Hazards Identification - Continued

Inhalation Hazards

May cause respiratory tract irritation. Breathing dust may cause nose, throat or lung irritation. Respirable crystalline silica can cause silicosis, a fibrosis (scarring) of the lungs. Silicosis may be progressive.

Chronic/Carcinogenicity Effects

Contains Silica Quartz. Inhalation of quartz is classified as a human carcinogen. Chronic overexposure can cause silicosis, a form of lung scarring that can cause shortness of breath, reduced lung function, and in severe cases, death.

4. First Aid Measures

Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of tepid water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

Skin

In case of contact, immediately flush skin with soap and plenty of tepid water for at least 15 minutes. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists.

Ingestion

If swallowed, do not induce vomiting unless directed to do so by medical personnel.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration, seek medical attention.

5. Fire Fighting Measures

Flash Point: >200 °F

Autoignition Point: N/AV °F

Fire And Explosion Hazards

None Known

Extinguishing Media

In case of fire, use water spray (fog) foam, dry chemical, or CO₂.

Fire Fighting Instructions

In the event of a fire, firefighters should wear full protective clothing and NIOSH-approved self-contained breathing apparatus with a full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Avoid release to the environment. Use appropriate Personal Protective Equipment (PPE). Shovel or sweep up material into suitable containers, taking care to minimize dust. Dampen if necessary to control dust. Vacuum clean dust with equipment fitted with High Efficiency Particulate Air (HEPA) filters.

7. Handling And Storage

Handling And Storage Precautions

Keep out of reach of children. Store in a cool, dry, well ventilated area. Keep containers tightly closed.

Work/Hygienic Practices

Wash thoroughly with soap and water after handling.

8. Exposure Controls/Personal Protection

Engineering Controls

Use of a system of local and/or general exhaust is recommended to keep employee below applicable exposure limits. Refer to the current edition of "Industrial Ventilation: A Manual of Recommended Practice" published by

MATERIAL SAFETY DATA SHEET

Fiber Crete Repair SHA

8. Exposure Controls/Personal Protection - Continued

Engineering Controls - Continued

the American Conference of Governmental Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems.

Eye/Face Protection

Safety glasses with side shields or goggles.

Skin Protection

Avoid skin contact. Wear long sleeve shirt and long pants. Chemical resistant gloves.

Respiratory Protection

A respirator protection program that meets 29 CFR 1910.134 requirement must be followed whenever workplace conditions warrant a respirator's use. In areas where the Permissible Exposure Limits are exceeded, use a properly fitted NIOSH-approved respirator.

Other/General Protection

Wash thoroughly after handling.

Ingredient(s) - Exposure Limits

CEMENT, PORTLAND

ACGIH TLV-TWA - 10 mg/m³

OSHA PEL -TWA - 15 mg/m³ (total dust)

OSHA PEL - TWA - 5 mg/m³ (respirable dust)

SILICA, AMORPHOUS

ACGIH TLV-TWA 10 mg/m³

OSHA PEL-TWA 20 mppcf

OSHA PEL-TWA 80 / %SiO₂ mg/m³

SILICA, QUARTZ

ACGIH TLV-TWA 0.1 mg/m³ (Notice of Intended Change)

ACGIH TLV-TWA 0.05 mg/m³ (Proposed)

OSHA PEL-TWA 30/%SiO₂+2 mg/m³

OSHA PEL-TWA 10/%SiO₂+2 mg/m³

OSHA PEL-TWA 250/%SiO+5 mppcf

9. Physical And Chemical Properties

Appearance

Gray Powder

Odor

No Odor

Chemical Type: Mixture

Physical State: Solid

Melting Point: N/AV °F

Specific Gravity: 1.44

Percent Volatiles: N/AV

Vapor Pressure: N/AV

Vapor Density: N/AV

Solubility: N/AV

10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR

MATERIAL SAFETY DATA SHEET

Fiber Crete Repair SHA

10. Stability And Reactivity - Continued

Conditions To Avoid (Stability)

None Known

Incompatible Materials

None Known

Hazardous Decomposition Products

Noen Known

11. Toxicological Information

Ingredient(s) - Carcinogenicity

SILICA, AMORPHOUS

Listed In The IARC Monographs

SILICA, QUARTZ

NTP - Listed On The National Toxicology Program

Listed In The IARC Monographs

12. Ecological Information

No Data Available...

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations. Waste generators must determine whether a discarded material is classified as a hazardous waste. USEPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

14. Transport Information

Proper Shipping Name

Not Regulated by the USDOT.

15. Regulatory Information

U.S. Regulatory Information

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SARA Hazard Classes

Acute Health Hazard

Chronic Health Hazard

SARA Section 313 Notification

This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

State Regulations

WARNING: This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Ingredient(s) - State Regulations

SILICA, AMORPHOUS

New Jersey - Workplace Hazard

Pennsylvania - Workplace Hazard

Massachusetts - Hazardous Substance

MATERIAL SAFETY DATA SHEET

Fiber Crete Repair SHA

15. Regulatory Information - Continued

Ingredient(s) - State Regulations - Continued

SILICA, QUARTZ

New Jersey - Workplace Hazard

Pennsylvania - Workplace Hazard

California - Proposition 65

Massachusetts - Hazardous Substance

16. Other Information

HMIS Rating

Health : *2

Fire : 0

Reactivity : 0

PPE : C

Revision/Preparer Information

MSDS Preparer: EHS Department

MSDS Preparer Phone Number: 423-899-0467

This MSDS Supercedes A Previous MSDS Dated: 04/18/2006

Disclaimer

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Superior believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.