MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION

Product Name: ASC - 1100/NM

Supplier's Name: Superior Industries, Inc.

Supplier's Address: P.O. Box 8 37401

Supplier's Phone Number: (423) 899-0467

Date Prepared: 11/27/12

absorbent material.

24 Hr Emergency Number: 1-800-476-2072

Chemical Family: N/A

Generic Name: Grease - Petroleum Base

Proper Shipping Names:

(Aerosol) - Consumer Commodity ORM-D (Bulk) - Grease, Compound - NOI

NPCA Hazardous Materials Identification System

Health	1
Flammability	1
Reactivity	0
Personal Protection	В

SECTION 2 - INGREDIENTS

CHEMICAL NAME	CAS NO.	WT%	PEL	TLV (Units)	CARCINOGEN	
(Aerosol Only)						
Hexane	110-54-3	2-7	500	500	NO	
L.P.G.	68476857	2-7	1000	1000	NO	

^{*} THIS PRODUCT CONTAINS NO OTHER INGREDIENTS THAT ARE CONSIDERED HAZARDOUS UNDER 29 CFR 1910.1200. FULL DISCLOSURE IS AVAILABLE ONLY TO QUALIFIED MEDICAL PERSONNEL.

SECTION 3 - PHYSICAL DATA	SECTION 4 - FIRE & EXPLOSION DATA			
Boiling Range (F): 600 + Vapor Pressure: <10 % Volatile: 0% Solubility in Water: N/A Physical Description: Silver - Grey paste, Thick, Oily texture Specific Gravity: 1.14 Vapor Density: >1 pH: N/A Evaporation Rate: <1	Flash Point (Method Used TCC): 450 F Upper Explosive Limit: N/A Lower Explosive Limit: N/A Extinguishing Media: Foam, CO2, halon, or dry chemical Special Fire Fighting Procedures: Avoid use of water streams. Product may produce dense smoke when ignited, use self-contained breathing apparatus. Unusual Fire & Explosion Hazards: Aerosol cans are under pressure, Aerosol cans heated by fire can burst above 120 F. Drums or aerosol cans heated by fire can support combustion.			
SECTION 5 - REACTIVITY DATA	SECTION 6 - STORAGE & HANDLING INFORMATION			
Stability: Stable Incompatibility (Materials to Avoid): Strong oxidizers, Concentrated oxygen Hazardous Decomposition: Carbon monoxide Hazardous Polymerization: Will not occur	Precautions to be taken: Keep out of reach of children. For use by trained personnel only. Keep container closed during storage.			
SECTION 7 -	HEALTH HAZARDS			
Effects of Overexposure: Primary Route of Entry: Skin: Defatting to the skin. Prolonged or repeated exposure can cause irritation and dermatitis. Eyes: Eye irritant. May cause redness, tearing and blurred vision Inhalation: Aerosol vapors can cause nose and throat irritation, dizziness, unconsciousness Ingestion: May cause nausea, vomiting, diarrhea, and restlessness	First Aid Procedures: Skin: Remove contaminated clothing. Flush exposed area with large quantities of water. Seek medical attention if irritation persists. Eyes: Flush eyes with large quantities of water, holding eyelids open Inhalation: Move to fresh air Ingestion: Do not induce vomiting, Seek medical attention			
SECTION 8 - SPECIAL PR	ROTECTION INFORMATION			
Respiratory Information: Aerosols should be used in well ventilated area Protective Gloves: Recommended Other Protective Equiptment: N/A	Ventilation: Local exhaust when using aerosols Eye Protection: If dispensing promotes splashing or overspray, use goggles or face sheild.			
SECTION 9 - SPILL	OR LEAK PROCEDURES			
Steps to be taken in case Material is released or Spilled: contain the spill, scoop up and hold for disposal. Cover residue with	Waste Disposal Method: Any method in accordance with local applicable law			