
Fiber Crete Repair SHA



1. Product And Company Identification

<u>Supplier</u>

Superior Industries, Inc. 6180 Airways Blvd. Chattanooga, TN 37421

Company Contact: EHS Department **Telephone Number:** 423-899-0467 **FAX Number:** 423-899-0421

Web Site: www.superior-industries.com

Supplier Emergency Contacts & Phone Number

SUPERIOR: 800-476-2072 INTERNATIONAL: 423-899-0467

Issue Date: 11/09/2012

Product Name: Fiber Crete Repair SHA

CAS Number: Not Established

Chemical Family: Cementitious Mortar

MSDS Number: 3149 **Product Code:** 0546-540 <u>Manufacturer</u>

Superior Industries, Inc. 6180 Airways Blvd. Chattanooga, TN 37421

Company Contact: EHS Department **Telephone Number:** 423-899-0467 **FAX Number:** 423-899-0421

Web Site: www.superior-industries.com

Manufacturer Emergency Contacts & Phone Number

SUPERIOR: 800-476-2072 INTERNATIONAL: 423-899-0467

2. Composition/Information On Ingredients

Ingredient Name	CAS Number		Percent Of Total Weight
CEMENT, PORTLAND	65997-15-1		
SILICA, AMORPHOUS	7631-86-9		
SILICA, QUARTZ	14808-60-7		

3. Hazards Identification

Eye Hazards

Causes eye irritation.

Skin Hazards

May cause skin irritation. Wet cement can dry the skin and cause alkali burns.

Ingestion Hazards

May be harmful if swallowed.

Fiber Crete Repair SHA

3. Hazards Identification - Continued

Inhalation Hazards

May cause respiratory tract irritation. Breathing dust may cause nose, throat or lung irritation. Respirable crystalline silica can cause silicosis, a fibrosis (scarring) of the lungs. Silicosis may be progressive.

Chronic/Carcinogenicity Effects

Contains Silica Quartz. Inhalation of quartz is classified as a human carcinogen. Chronic overexposure can cause silicosis, a form of I ung scarring that can cause shortness of breath, reduced lung function, and insever e cases, death.

4. First Aid Measures

Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of tepid water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

<u>Skin</u>

In case of contact, immediately flush skin with soap and plenty of tepid water for at least 15 minutes. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists.

<u>Ingestion</u>

If swallowed, do not induce vomiting unless directed to do so by medical personnel.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration, seek medical attention.

5. Fire Fighting Measures

Flash Point: >200 °F

Autoignition Point: N/AV °F

Fire And Explosion Hazards

None Known

Extinguishing Media

In case of fire, use water spray (fog) foam, dry chemical, or CO2.

Fire Fighting Instructions

In the event of a fire, firefighters should wear full protective clothing and NIOSH-approved self-contained breathing apparatus with a full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Avoid release to the environment. Use appropriate Personal Protective Equipment (PPE). Shovel or sweep up material into suitable containers, taking care to minimize dust. Dampen if necessary to control dust. Vacuum clean dust with equipment fitted with High Efficiency Particulate Air (HEPA) filters.

7. Handling And Storage

Handling And Storage Precautions

Keep out of reach of children. Store in a cool, dry, well ventilated area. Keep containers tightly closed.

Work/Hygienic Practices

Wash thoroughly with soap and water after handling.

8. Exposure Controls/Personal Protection

Engineering Controls

Use of a system of local and/or general exhaust is recommended to keep employee below applicable expsoure limits. Refer to the current edition of "Industrial Ventilation: A Manual of Recommended Practice" published by

Fiber Crete Repair SHA

8. Exposure Controls/Personal Protection - Continued

Engineering Controls - Continued

the American Conference of Governmental Industrial Hygienists for information on the de sign, installation, use, and maintenance of exhaust systems.

Eye/Face Protection

Safety glasses with side shields or goggles.

Skin Protection

Avoid skin contact. Wear long sleeve shirt and long pants. Chemical resistant gloves.

Respiratory Protection

A respirator protection program that meets 29 CFR 1910.134 requirement must be followed whenever workplace conditions warrant a respirator's use. In areas where the Permissible Expsosure Limits are exceeded, use a properly fitted NIOSH-approved respirator.

Other/General Protection

Wash thoroughly after handling.

Ingredient(s) - Exposure Limits

CEMENT, PORTLAND

ACGIH TLV-TWA - 10 mg/m3

OSHA PEL -TWA - 15 mg/m3 (total dust)

OSHA PEL - TWA - 5 mg/m3 (respirable dust)

SILICA, AMORPHOUS

ACGIH TLV-TWA 10 mg/m3

OSHA PEL-TWA 20 mppcf

OSHA PEL-TWA 80 / %SiO2 mg/m3

SILICA, QUARTZ

ACGIH TLV-TWA 0.1 mg/m3 (Notice of In tended Change)

ACGIH TLV-TWA 0.05 mg/m3 (Proposed)

OSHA PEL-TWA 30/%SiO2+2 mg/m3

OSHA PEL-TWA 10/%SiO2+2 mg/m3

OSHA PEL-TWA 250/%SiO+5 mppcf

9. Physical And Chemical Properties

Appearance

Gray Powder

Odor

No Odor

Chemical Type: Mixture
Physical State: Solid
Melting Point: N/AV °F
Specific Gravity: 1.44
Percent Volatiles: N/AV
Vapor Pressure: N/AV
Vapor Density: N/AV
S o lu b ility: N/AV

10. Stability And Reactivity

S ta b ility: STABLE

Hazardous Polymerization: WILL NOT OCCUR

Fiber Crete Repair SHA

10. Stability And Reactivity - Continued

Conditions To Avoid (Stability)

None Known

Incompatible Materials

None Known

Hazardous Decomposition Products

Noen Known

11. Toxicological Information

Ingredient(s) - Carginogenicity

SILICA, AMORPHOUS

Listed In The IARC Monographs

SILICA, QUARTZ

NTP - Listed On The National Toxicology Program

Listed In The IARC Monographs

12. Ecological Information

No Data Available...

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations. Waste generators must determine whether a discarded material is classified as a hazardous waste. USEPA guidelines for the classification determination are listed in 40 CFR Part s 261.3. Add itionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

14. Transport Information

Proper Shipping Name

Not Regulated by the USDOT.

15. Regulatory Information

U.S. Regulatory Information

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SARA Hazard Classes

Acute Health Hazard Chronic Health Hazard

SARA Section 313 Notification

This product does not contain an y ingredients regulated under Section 313 of the Emergen cy Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

State Regulations

WARNING: This product contains a chemical known to the State of California to cau se cancer, birth defects, or other reproductive harm.

Ingredient(s) - State Regulations

SILICA, AMORPHOUS

New Jersey - Workplace Hazard

Pennsylvania - Workplace Hazard

Massachusetts - Hazardous Substance

Fiber Crete Repair SHA

15. Regulatory Information - Continued

Ingredient(s) - State Regulations - Continued

SILICA, QUARTZ

New Jersey - Workplace Hazard Pennsylvania - Workplace Hazard California - Proposition 65

Massachusetts - Hazardous Substance

16. Other Information

HMIS Rating

Health:*2 Fire:0 Reactivity:0 PPE:C

Revision/Preparer Information

MSDS Preparer: EHS Department

MSDS Preparer Phone Number: 423-899-0467

This MSDS Supercedes A Previous MSDS Dated: 04/18/2006

Disclaimer

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Superior believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.