MATERIAL SAFTEY DATA SHEET

HM

Page: 1

SKID GUARD 100

Product Name: SKID GUARD 100 Product Code: 1925. IS Codes: H F R P 1 0 0 B

SECTION I – MANUFACTURER IDENTIFICATION

Manufacture's Name:	Superior Industries, Inc.			
Address:	P. O. Box 8			
С	hattanooga, TN 37421			
Emergency Phone:	(800) 476-2072 Date Printed:	11/27/2012		
Information Phone:	(423) 899-0467 Name of Preparer:	Technical Department		

SECTION II – HAZARDOUS INGREDEINTS/SARA III INFORMATION

Reportable Components		Case Number		Vapor Pressure mm HG @ Temp		Weight Percent
Propylene Glycol	57	-55-6	.2	2	68°F	0.7
2 ((Hydroxmethyl) Amino-2-Methyl Propanol		52299-20-4		22.9	68°F	0.12
3-Iodo-2-Propynyl Butyl Carbamate		55406-53-6		0	0	0.1
Aliphatic Hydrocarbon Solvent (Naphtha).		64742-89-8		10.2	68°F	0.1

OSHA PEL: 500 PPM, ACGIH TLV: 350 MG/CUM

*** No Toxic Chemicals(s) subject to reporting requirements of section 313 of Title III and of 40 CFR 372 are present *** N/A

SECTION III - PHYSIACL /CHEMICAL CHARATERISTICS

Boiling Range: 214°F - 369°FSpecific Gravity (H20=1):1.64Vapor Density: Heavier Than AirEvaporation Rate: Slower than EtherCoating V.O.C.: 0.45 lb/gal53 g/lSolubility in Water: Dilutes and Thins in Water in all ProportionsAppearance and Odor: Thick Liquid with Slight Odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A	Method Used: N/A		
Flammable Limits in air by Volume –	Lower: 0.9%	Upper 12.5%	

Extinguishing Media: Foam, Alcohol Foam, CO2, Dry Chemical, Water Fog, Other

Special Firefighting Procedures The Latex will not burn until water has evaporated. For residual solids, use water spray, Carbon Dioxide, Dry Chemical, or All Purpose-Type Foams.

Unusual Fire and Explosion Hazards NONE

SECTION V - REACTIVITY DATA

Stability: Stable Conditions to Avoid: None

Incompatibility (Materials to Avoid): Strong Oxidizing Agents

MATERIAL SAFTEY DATA SHEET

SKID GUARD 100

Page: 2

Hazardous Decomposition or Byproducts When in the dry foam products of combustion are Carbon Momooxide and Carbon Dioxide

Hazardous Polymerization: Will Not Occur, None.

SECTION VI – HEALTH HAZARD DATA

Inhalation Health Risks and Symptoms of Exposure High Concentration of vapor or spray mist in confined areas may exclude Oxygen from the atmosphere and cause signs of Asphixia.

Skin absorption health risks and symptoms of exposure: Prolonged contact in wet state may cause water adsorbtion into the skin.

Skin and Eye Contact Health Risks and Symptoms of Exposure Eye Contact-may cause irritation and conjunctivitis. Skin – May cause Irritation

Ingestion Health Risks and Symptoms of Exposure Prolonged contact in the wet state may cause nausea

Health Hazards (Acute and Chronic)

Eyes – No evidence of adverse effects from available information. Skin – No evidence of adverse effects from available information. Inhalation – No evidence of adverse effects from available information. Ingestion – No evidence of adverse effects from available information.

Carcinogenicity: NTP Carcinogen: NO IARC Monographs: NO OSHA Regulated: Yes There is no evidence of Carcinogenicity from available information.

Medical Conditions generally aggravated by exposure No evidence of adverse effects from available information.

EMERGENCY AND FIRST AID PROCEDURES

EYES-FLUSH WITH LARGE AMOUNTS OF WATER AT LEAST 15 MINUTES. IF IRRIRATION PERSISTS, GET MEDICAL ATTENTION. SKIN-WASH SOAP AND WATER; REMOVE SOILDED CLOTHES AND LAUNDER BEFORE REUSE. INGESTION-GIVE TWO GLASSES OF WATER; INDUCE VOMITING IMMEDIATELY BY STICKINGFINGER DOWN THROAT. CALL A PHYSICIAN.

SECTION VII - PRECAUTIONS FOR SAFE HANDLEING AND USE

Steps to be taken in case material is released or spilled Major spills-walk areas and floors will be slippery: Take precautions. Collect material with absorbent such as sand and dry for proper disposal. Minor Spills – Absorb with rags or other absorbent, clean-up with water.

Waste Disposal Method Liquid Material is considered a Hazardous Material and must be disposed of with an authorized disposal company. Dry material is not considered Hazardous and may be disposed according to local, state, and federal regulations.

Precautions to be taken in handling and storing Avoid breathing vapors. Keep container closed. Use with adequate ventilation.

Other Precautions Keep out of reach of children!

SECTION VIII - CONTROL MEASURES

Respiratory Protection: None Required. An Ordinary dust (mist) respirator is recommended if the product is to be sprayed. Ventilation:

SKID GUARD 100

MATERIAL SAFTEY DATA SHEET

Page: 3

General (Mechanical) Room Ventilation is expected to be satisfactory

Protective Gloves: Recommended

Eye Protection: Safety Glasses

Other protective clothing or equipment: None required.

Work/Hygienic Practices: Wash hands before eating, smoking, or using the washroom.

SECTION IX – DISCLAIMER

The Information contained herein was gathered from reliable sources and is believed to be accurate. However, no warranty is implied regarding the accuracy of these data or the results to be obtained from their use thereof.