

MATERIAL SAFETY DATA SHEET

PRODUCT: Paddock Pro Walk

PRODUCT CODE: PPW-5600

HMIS HAZARD: 0 0 0 B HANDLING

1 0 0 G SPRAYING

SECTION I - Manufacturer Information

Manufacturer: SUPERIOR INDUSTRIES, INC.

Address: 6180 AIRWAYS BLVD. | CHATTANOOGA, TN 37421

Emergency Phone #: 423.899.0467

Information Phone #: (800) 476.2072

Date Prepared: November 27, 2012

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

HAZARDOUS INGREDIENT	CAS #	OSHA PEL	ACGIH PEL	OTHER	%
Xylene 1330-20-7		100 ppm	100 ppm	SEE VI	0.002%

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >100°C

Specific Gravity (H2O=1): 1.2-1.25

Vapor Pressure (mm Hg): NE

Melting Point: NE

Vapor Density (Air = 1) NE

Evaporation Rate: (Butyl Acetate=1) <0.1

pH: 8.0 - 9.0

VOC: (0.0g/L.) = 0.0# / Gallon

Solubility in water: DILUTABLE

Appearance and Odor: White or colored viscous gritty liquid with mild characteristic odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): NE (WATER BASED PRODUCT) Flammable Limits: NE LEL-NE UEL-NE

Extinguishing Media: CO₂ OR DRY CHEMICAL. WATER AGGRAVATES SPILL CLEANUP.

Special Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED PRESSURE DEMAND SELF CONTAINED BREATHING APPARATUS.

Unusual Fire & Explosion Hazards: MATERIAL CAN SPATTER ABOVE 100°C. DRIED FILM MAY BURN.

SECTION V - REACTIVITY DATA

Stability: XX Stable Unstable Conditions to Avoid: TEMPERATURES > 100°C.

Incompatibility (materials to avoid): MATERIALS THAT REACT WITH WATER; OXIDIZERS

Hazardous Decomposition Byproducts: PRINCIPALLY OXIDES OF CARBON AND NITROGEN AT FIRE CONDITIONS.

Hazardous Polymerization: May occur XX Will not occur Conditions to Avoid: NONE KNOWN

SECTION VI - HEALTH HAZARD DATA

Routes of entry: Inhalation? YES Skin? YES Ingestion? YES

Health hazards (Acute and Chronic): **INHALATION**-(ACUTE) BLOCKED AIRWAY, INABILITY TO INHALE. (Chronic) NONE EXPECTED. **SKIN**-(ACUTE) MILD DELAYED IRRITATION; -(CHRONIC) DERMATITIS. **EYES**-(ACUTE) IRRITATION, CORNEAL DAMAGE IF NOT RINSED OR TREATED. -(CHRONIC) SAME.

Carcinogenicity: NTP? NO IARC Monographs? NO OSHA Regulated? NO

Signs and Symptoms of Exposure: **INHALATION**; PRODUCT IN MOUTH OR THROAT. **SKIN**: MILD DELAYED SK IN IRRITATION. **EYES**: TEARING, REDNESS, IRRITATION

Medical Conditions Generally Aggravated by Exposure: NONE EXPECTED.

Emergency and First Aid Procedures: **INHALATION**; REMOVE TO FRESH AIR AND REMOVE PRODUCT FROM MOUTH AND THROAT, SEEK MEDICAL ATTENTION. **SKIN**; WASH WITH WARM SOAPY WATER AS SOON AS POSSIBLE. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. **EYES**; FLUSH WITH CLEAN WATER FOR 15 MINUTES AND SEEK MEDICAL ATTENTION.

SECTION VII - PROCEDURES FOR SAFE HANDLING AND USE:

Steps to be taken in case material is released or spilled: KEEP ALL SPECTATORS AWAY! WEAR NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS IF IN POORLY VENTILATED AREA. DIKE AND CONTAIN SPILL WITH INERT MATERIAL. RECOVER USABLE MATERIAL TO CONTAINER FOR USE. SEPARATE UNUSABLE MATERIALS. KEEP SPILLS FROM SEWERS OR WATER. ALSO SEE SECTION VIII CONTROL MEASURES.

Waste disposal method: SPREAD MATERIAL EVENLY ON PLASTIC FILM AND ALLOW TO DRY THOROUGHLY. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Precautions to be taken in handling and storing: USE AND STORE WITH ADEQUATE VENTILATION. AVOID EYE CONTACT. KEEP CONTAINER CLOSED. PROTECT FROM FREEZING. AVOID TEMPERATURES IN EXCESS OF 45°C.

Other precautions: NONE EXPECTED

SECTION VIII - CONTROL MEASURES

Respiratory protection: NONE .

Ventilation: Local Exhaust: RECOMMENDED

Mechanical (General): RECOMMENDED

Special: NA **Other:** NA **Protective Gloves:** IMPERVIOUS **Eye Protection:** CHEMICAL SPLASH GOGGLES

Other protective clothing or Equipment: AS REQUIRED TO PREVENT SKIN CONTACT.

Work/Hygienic Practices: GOOD INDUSTRIAL HYGIENE

SECTION IX DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information in this document is believed to be correct as of the date issued. However, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE.

This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he/she assumes the risk of his/her use thereof.

LEGEND: NA = Not Applicable

NE = Not Evaluated

NR = Not Required

OSHA/ACGIH TERMS:

PEL = Permissible Exposure Limit

STEL = Short Term Exposure Limit

TWA = Time Weighted Average

TLV = Threshold Limit Value

***NE** = Not Established

HMIS Hazard Ranking 0 = least 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

For further information on Personal Protection refer to HMIS Personal Protection Index.