MATERIAL SAFETY DATA SHEET

COMPLIES WITH OSHA'S HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200)

Formula: Proprietary

Date Prepared: 11/09/12

Emergency Phone: (800) 476-2072

Information Phone: (423) 899-0467

SECTION I · PRODUCT IDENTIFICATION

Product Name: FCC - 300 Product Number: 2742745 Product Type: AEROSOL

Supplier's Name: Superior Industries, Inc.

Supplier's Address: P.O. Box 8, Chattanooga, TN, 37401

D.O.T. Hazard Class: CONSUMER COMMODITY ORM-D

SECTION II · INGREDIENTS

TWA/TLV **CHEMICAL NAME** CAS# %WT 313/Chem **PEL** Skin Carcinogen Liquified Petroleum Gas 68476-85-7 NO 01-10 NO NO 1000 ppm 1000 ppm

SECTION III · PHYSICAL DATA

Data Below Based On Aerosol Concentrate Only:

Boiling Point: ~212° F

Solubility In Water: Complete

Appearance/Odor: White foam with characteristic odor.

Data Below Based On Total Contents: Vapor Pressure of can (psig @72°F): 55

Total VOC %: ~6.7%

SECTION IV · FIRE AND EXPLOSION DATA

Flash Point (of Concentrate Only): None to Boiling

Extinguishing Media: Foam, CO2, Dry Media Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Cool fire exposed containers to prevent rupturing.

Unusual Fire and Explosion Hazards: Exposure to temperature above 120° F may cause bursting.

SECTION V · REACTIVITY DATA

Stability: Material Stable. Hazardous Polymerization: Will not Occur.

Incompatibility: Avoid contact with strong oxidizing agents.

Hazardous Decomposition Products: Carbon Dioxide, Carbon Monoxides.

SECTION VI · STORAGE AND HANDLING

KEEP OUT OF REACH OF CHILDREN.

For Industrial and Institutional use only.

Store in a cool, dry area away from heat or open flame.

Do not store at temperatures above 120° F.

NFPA Code 30B Rating: Level 1 Aerosol

Vapor Density(Air=1): >1

Flammability (as per USA Flame Projection Test): Non-Flammable Spray

Specific Gravity (H2O=1)@70°F: 1.00

HMIS Rating (Based on Aerosol Conc.):

4- Extreme

HEALTH: 0 FIRE: 0 REACTIVITY: 0

1- Slight

2- Moderate

0-Minimal

3- Serious

Personal Protection: B

SECTION VII · HEALTH AND FIRST AID

PRIMARY ROUTES OF ENTRY & EFFECTS OF OVER EXPOSURE:

Eves: May cause moderate irritation

Skin: Frequent or prolonged contact may cause irritation. May aggravate existing skin conditions.

Inhalation: Inhalation of mist can cause irritation of nasal and respiratory passages. Abusive or excessive inhalation may cause irritation to the upper respiratory tract,

dizziness, nausea and other central nervous system effects.

Ingestion: Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis.

FIRST AID PROCEDURES:

Eyes: Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.

Skin: Wash with soap and water. If irritation persists seek medical attention.

Inhalation: Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration.

Ingestion: Do not induce vomiting. Seek medical attention immediately.

SECTION VIII · SPECIAL PROTECTION DATA

Respiratory Protection: None needed for proper use in accordance with label directions.

Ventilation: Provide local exhaustrtr iedp atr ctn edtratin if igredin stlisted in Section II below established expos re itits. Pone

dctitedGonved: None needed for proper use in accordance with label directions. Use chemical resistant gloves if hand contact will be made. EesP

rotection: Awats wear safety glasses or chemical proof goggles when working with chemicals. SeCINo

IX · SPILL OR LEAK PROTECTION S EPS TO

BE TAKEN IN CASP OF SPILL OR LEAK: Alw ropellant to evaorae. Maintain local exhaust add adequate ventilation. No smoking. Keep sparks, heat s urces and o pen flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in ancerdance wi th Federal, State and local laws. WSeEDiSeOSeAl

L METHOD: Arosol cans, when emptied and depressurized through normal use, pose no disposal hazard and should be recycled. Consult Federal, Stane and loca I authorities for approved precedures. NAe=NPLCoBE p

p· p p/=O pETAeBLISHED · N/D=NOT DETERMINED << <=LESS THAN · >=MORE THAN NOTICE: Th formation con

tained on this Material Safety Da a Sheet is considered accurase as of dhe date of publication. It is not necessarily ilu inclusive nor fully adequate in every circumstance. The suggestions should not be c onfused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty, express or implied, of merchantability, fitness, accuracy of daa, or the results to be o btained frof the tse thereof is made. The vendor assmes no responsibility foryinjury or dagages resulting from the inappropriate use of this product.